




Share:



ACRC602P

Description: Close-coupled, chilled water cooling for medium to large data centers
Includes : Installation Guide , Operations and Maintenance Manual



InRow RC, 600mm, Chilled Water 380-415V 50/60 Hz, w/ humidifier

Call for More Information
66 2 617 5555

Includes: Installation Guide , Operations and Maintenance Manual

Related Products, Accessories & Services

[View all accessories and replacement batteries for this product](#)



(1) Year Advantage Max Service Plan For (1) InfraStruXure InRow RP Chilled Water

Call for More Information
66 2 617 5555



(1) Year Advantage Ultra Service Plan For (1) InfraStruXure InRow RP Chilled Water

Call for More Information
66 2 617 5555



1 Year APC Remote Monitoring Service For 1 Node

Call for More Information
66 2 617 5555

[Product Overview](#)

[Technical Specifications](#)

[Documentation](#)

[Drawings](#)

[Options](#)

Input

[Print Technical Specification](#)

Nominal Input Voltage	400V 3PH
Input frequency	50 Hz +/- 3 Hz
Input Connections	Hard Wire 4-wire (3PH + G)
Number of Power Cords	2
Input Power	15000.0Watts

Communications & Management

Control panel	Multi-function LCD status and control console
Audible Alarm	Audible and visible alarms prioritized by severity

Physical

Maximum Height	1991mm , 199.1CM
Maximum Width	600mm , 60.0CM
Maximum Depth	1070mm , 107.0CM
Rack Height	42U
Net Weight	352.73KG
Shipping weight	463.18KG
Shipping Height	2166mm , 216.6CM



Standard warranty	1 year (parts only), 1 year on-site repair or replace with factory authorized Start-Up
General	
Air Discharge Patterns	Horizontal
Air Flow	2831.68lps
Condensate Pump Capacity	0.008lps
Humidification Value	6.6pounds/hour
Intake Air	Rear Return
Minimum Water Inlet Temperature	7.0 °C



Sign up to stay up to date with best practices, new solutions and special offers.

Email

OK

WHO WE ARE

CONNECT WITH US

FIND A RESELLER

Zip/Postal Code

FIND

CATALOG KEYCODE

Enter Key Code

GO



TERMS & CONDITIONS >

PRIVACY STATEMENT >

© 2017, APC by Schneider Electric